

Work Order ID 155353

Thursday, January 12, 2017 3:40:46 PM

155353

Page 1

Item ID: 646.9910 Accept ***N900040100*** Setup Start ***NS1***
 Revision ID: Stop ***NS2***
 Item Name: Struts
 Start Date: 1/17/2017 Start Qty: 10.00 ***10*** Cust Item ID:
 Required Date: 1/23/2017 Req'd Qty: 10.00 ***10*** Customer:
 Reference:

Approvals: Process Plan: DAS 21 3-89 Date: JAN 13 2017 Tooling: _____ Date: _____ Run Start ***NR1***
 QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr								
646.9900	N/C								

110

0.00

110

Doosan

Doosan Lathe

Memo

0.00

*** CUT BLANK ON CHOP SAW AT 24.125" LONG***

TURN AS PER DWG

DWG REV: N/C

FOLIO REV: N/A

DEBURR

120

QC2- Inspect parts off machine FAI/FAIB

0.00

120

QC

Quality Control

Memo

0.00

10 _____ P17-03-06
10 _____ P17-03-06

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition				Completed By	
								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐								
Misidentified ☐	Past Due ☐	OTHER :							

Work Order ID 155353***155353***

Page 2

Thursday, January 12, 2017 3:40:46 PM

Item ID: 646.9910

Accept

N900040100

Setup Start

NS1

Revision ID:

Stop

NS2

Item Name: Struts

Start Date: 1/17/2017 Start Qty: 10.00

10

Cust Item ID:

Required Date: 1/23/2017 Req'd Qty: 10.00

10

Customer:

Reference:

Approvals:

Process Plan: _____

Date: _____

Tooling: _____

Date: _____

Run Start

NR1

QC: _____

Date: _____

SPC (Y/N): _____

Date: _____

Stop

NR2Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run Hours

Tool ID

Tool #

Plan
CodeAccept
QtyReject
QtyReject
NumberInsp.
Stamp

170

QC8- Inspect parts - second check

0.00

170

QC

Memo

0.00

Quality Control

DAS

49

9-89

17/03/07

180

PURCHASING

0.00

180

Outsource4

Memo

0.00

Outsource process - Anodize

Issue P/O to ATG : 35521

1- Black Anodize as per Dwg 646.9900

2- PRIME AS PER DWG, SEE NOTE #2

Certification of Comformity is required

10

MAR 08 2017

DAS

13

6-89

190

Receive & Inspect for Damage & Mat'l Certs

0.00

190

Packaging

Memo

0.00

Packaging

Ensure certificate of conformity is attached

10x SP17-03-27

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date : _____	Step #: _____	QTY Effective : _____		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY			
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐	No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐	Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐	Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐	Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐
OTHER : _____					

Work Order ID 155353

Thursday, January 12, 2017 3:40:46 PM

155353

Page 3

Item ID: 646.9910 Accept ***N900040100*** Setup Start ***NS1***
Revision ID: Stop ***NS2***
Item Name: Struts
Start Date: 1/17/2017 Start Qty: 10.00 ***10*** Cust Item ID:
Required Date: 1/23/2017 Req'd Qty: 10.00 ***10*** Customer:
Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
200 *200* QC Quality Control	QC5- Inspect part completeness to step on W/O <i>25 mils thickness primer</i>	0.00 0.00				<u>10</u>			<i>38</i> <i>9-89</i> MAR 28 2017
210 *210* Packaging Packaging	Identify as per dwg & Stock Location: <u>CCK014</u> <i>Memo</i> ***IDENTIFY AS PER APICAL MPP-120 BY STAMPING P# AND REV***	0.00 0.00				<u>10</u>			<i>DAS</i> <i>6</i> <i>9-89</i> MAR 30 2017
220 *220* QC Quality Control	QC21- Final Inspection - Work Order Release <i>Memo</i>	0.00 0.00							<i>17/4/3</i> <i>21</i>

DAS
21
9-89

MAR 31 2017

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date : _____	Step #: _____	QTY Effective : _____		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY			
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐	Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
OTHER : _____					

Picklist Print

Thursday, January 12, 2017 3:40:46 PM

Page 1

Work Order ID: 155353

155353

Parent Item: 646.9910

646.9910

Parent Item Name: Struts

Start Date: 1/17/2017

Required Date: 1/23/2017

Start Qty: 10.00

Required Qty: 10.00

Comments: IPP REV:A NEW ISSUE 12-09-19 JLM VERIFIED BY:DD

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
M6061T6R0.563		Purchased	No				f	25.0040		22.10526			

M6061T6R0.563

6061-T6 ROUND BAR .563

Location

Loc Qty

Loc Code

MAT012

25.004

m126852

1.564

m135377

1.9

m135559

5.75

m135861

15.79

m136896

10.08

10.08

17-03-06

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____


Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval 		
Description Work Order Deviation				Disposition					
							Completed By		
							Lead hand / Supervisor Approval Verification		
							QC / QA Coordinator Approval		
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐							
OTHER : ☐									

FIRST ARTICLE INSPECTION CHECKLIST

Rev	Date	Change	Revised by	Approved
A	14.06.25	New Issue	KJ	

APICAL INDUSTRIES, INC.	ENGINEERING CHANGE NOTICE NO. 03728				SHEET 1 OF 1	
	DWG NO. 646.9900	REV: N/C	PREPARED BY B. PETERS	DATE: 12/05/12	EFFECT ON DWG ☐ INC. ☒ UNINC.	
	DWG TITLE: STRUT					
APPROVED BY: ENGR <i>[Signature]</i>		MFG <i>[Signature]</i>		QC <i>[Signature]</i>	EFF: NEXT ORDER	
TRANSACTION CODES (TC): A-ADD C-CREATE R-REVISE D-DELETE		REASON: REVISED LENGTH TOLERANCE AND CRITICAL DIMENSIONS.				ECR: D-12-014



SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 155353
MLJ
17-01-13

SHEET 1 IS:


DOCUMENTS EFFECTED:	☐ RFMS ☐ MDL ☐ INSTALL INSTRU ☐ ICA ☐ BOM	CHANGE CATEGORY ☐ MAJOR ☒ MINOR	DER REVIEW REQUIRED ☐ YES ☒ NO
---------------------	--	---	--

ALL DIMENSIONS UNLESS OTHERWISE SPECIFIED ARE IN INCHES
FRACTIONS SHALL BE SHOWN AS DECIMALS
TOLERANCES UNLESS OTHERWISE SPECIFIED ARE AS FOLLOWS

REV	DESCRIPTION	DATE	APP'D
1	INITIAL DESIGN	04/12/00	J. B. BROWN
2	REVISED	04/12/00	J. B. BROWN

NOTES:

- 1 MATERIAL: 6061-T6 ALUMINUM BAR IAW AMS-QQ-A-250/11
- 2 FINISH: HARD ANODIZE IAW MIL-A-8625 TYPE III, CLASS 2, COLOR BLACK
CARDINAL 4860-50 PRETREATMENT PRIMER
PRIME IAW MIL-P-23377J TYPE I CLASS N
- 3 DEBURR AND BREAK ALL SHARP EDGES
- 4 IDENTIFY IAW MPP-120



QTY	PART #	DESCRIPTION	MATL	SPEC
1	646.9910	STRUT		
PARTS LIST				
APICAL INDUSTRIES				
2608 TEMPLE HEIGHTS DR.				
OCEANSIDE, CA 92056-3512 (760) 724-5300				
STRUT				
646.9900			N/C	
SCALE: NONE			SHEET 1 OF 1	



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO35521

Purchase Order Date 3/8/2017
PO Print Date 3/10/2017

Page Number 6 of 7

Order From :
A.T.G. INDUSTRIES INC.
731 INDUSTRIELLE ROAD
ROCKLAND, ON K4K 1T2
CANADA

VC-ATG001

Ship To : DART AEROSPACE LTD
1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name
Vendor Phone 613-446-4544

Ship To Contact
Ship To Phone
Ship Via: VENDOR'S TRUCK
Ship Acct:

Buyer Chantal Lavoie
Customer POID
Customer Tax # 10127-2607
Terms Net 30
Currency CAD
FOB FCA - (Free Carrier)

15 155353 646.9910 STRUTS REV. 3/27/2017 10.00 \$13.40 \$134.00
N/C Yes
3/27/2017

DAS
38
9-89

817-0327

FINISH: HARD BLACK ANODIZE AS PER IAW MIL-A-8625 TYPE III, CLASS 2 / PRIME AS PER IAW MIL-PRF-23377 TYPE I CLASS N

Line Total: \$134.00

16 154826 647.1713 SPACER REV. E 3/27/2017 30.00 \$6.30 \$189.00
Yes
3/27/2017

FINISH: HARD BLACK ANODIZE AS PER IAW MIL-A-8625 TYPE III, CLASS 2 / PRIME AS PER IAW MIL-PRF-23377 TYPE I CLASS N

Line Total: \$189.00

17 155358 647.4410 RAIL REV. N/C 3/27/2017 18.00 \$10.80 \$194.40
Yes
3/27/2017

FINISH: HARD BLACK ANODIZE AS PER IAW MIL-A-8625 TYPE III, CLASS 2 / PRIME AS PER IAW MIL-PRF-23377 TYPE I CLASS N

Line Total: \$194.40

PO Instructions: PRIMER IS SUPPLIED BY DART

Note:

3/10/2017



A.T.G. INDUSTRIES INC.
731 INDUSTRIELLE STREET
ROCKLAND, ON K4K 1T2
Canada

Ph: (613) 446-4544

Fax: (613) 446-4556

Pack List

Number: 913083

Date: 24-Mar-17

To

Dart Aerospace Ltd
1270 Aberdeen St
Hawkesbury, ON K6A 1K7

Ship To

Chantal Lavoie
Dart Aerospace Ltd
1270 Aberdeen St
Hawkesbury, ON K6A 1K7

Ph: 613 632-9577

Fax: 613 632-1053

Ph: 613 632-9577

Fax: 613 632-1053

Terms		Ship Via	
Quantity	Description		
	PLEASE REFERENCE THE PACK LIST NUMBER ON ALL CORRESPONDENCE TO THIS SHIPMENT. IF YOU HAVE ANY QUESTIONS, PLEASE CALL AT (613) 446-4544.		
18 ea	Part: 646.3610 Filler Hard Black Anodize per MIL-A-8625F, Type III, Class 2 Prime per MIL-PRF-23377, Type I, Class N (Customer Supplied) Job: 20777		Rev: N/C PO: PO35521 Line: 10
10 ea	Part: 646.3711 Clip Hard Black Anodize per MIL-A-8625F, Type III, Class 2 Prime per MIL-PRF-23377, Type I, Class N (Customer Supplied) Job: 20778		Rev: A PO: PO35521 Line: 11
10 ea	Part: 646.3712 Clip Hard Black Anodize per MIL-A-8625F, Type III, Class 2 Prime per MIL-PRF-23377, Type I, Class N (Customer Supplied) Job: 20779		Rev: A PO: PO35521 Line: 12
5 ea	Part: 646.3813 Strut Hard Black Anodize per MIL-A-8625F, Type III, Class 2 Prime per MIL-PRF-23377, Type I, Class N (Customer Supplied) Job: 20780		Rev: N/C PO: PO35521 Line: 13
10 ea	Part: 646.9710 Body Hard Black Anodize per MIL-A-8625F, Type III, Class 2 Prime per MIL-PRF-23377, Type I, Class N (Customer Supplied) Job: 20781		Rev: D PO: PO35521 Line: 14
10 ea	Part: 646.9910 		Rev: N/C 



A.T.G. INDUSTRIES INC.
731 INDUSTRIELLE STREET
ROCKLAND, ON K4K 1T2
Canada

Ph: (613) 446-4544

Fax: (613) 446-4556

Pack List

Number: 913083

Date: 24-Mar-17

To

Dart Aerospace Ltd
1270 Aberdeen St
Hawkesbury, ON K6A 1K7

Ship To

Chantal Lavoie
Dart Aerospace Ltd
1270 Aberdeen St
Hawkesbury, ON K6A 1K7

Ph: 613 632-9577

Fax: 613 632-1053

Ph: 613 632-9577

Fax: 613 632-1053

Terms		Ship Via	
Quantity	Description		
ea	Struts Hard Black Anodize per MIL-A-8625F, Type III, Class 2 Prime per MIL-PRF-23377, Type I, Class N (Customer Supplied) Job: 20782 PO: PO35521	Line: 15	Sep 17-03-27
30 ea	Part: 647.1713 Spacer Hard Black Anodize per MIL-A-8625F, Type III, Class 2 Prime per MIL-PRF-23377, Type I, Class N (Customer Supplied) Job: 20783 PO: PO35521	Rev: E Line: 16	
18 ea	Part: 647.4410 Rail Hard Black Anodize per MIL-A-8625F, Type III, Class 2 Prime per MIL-PRF-23377, Type I, Class N (Customer Supplied) Job: 20784 PO: PO35521	Rev: N/C Line: 17	
1 ea	Part: ADMINISTRATION FEE Administrative Fee Job: 20785 PO: PO35521	Rev: N/A Line: 19	
10 ea	Part: D2348 Wearplate Black Anodize per MIL-A-8625F, Type II, Class 2 Job: 20769 PO: PO35521	Rev: C Line: 2	
16 ea	Part: 646.2910 Deflector Hard Black Anodize per MIL-A-8625F, Type III, Class 2 Prime per MIL-PRF-23377, Type I, Class N (Customer Supplied) Job: 20770 PO: PO35521	Rev: N/C Line: 3	
10 ea	Part: 646.3011 RH half	Rev: N/C	



A.T.G. INDUSTRIES INC.
731 INDUSTRIELLE STREET
ROCKLAND, ON K4K 1T2
Canada

Ph: (613) 446-4544

Fax: (613) 446-4556

Pack List

Number: 913083

Date: 24-Mar-17

To

Dart Aerospace Ltd
1270 Aberdeen St
Hawkesbury, ON K6A 1K7

Ship To


Chantal Lavoie
Dart Aerospace Ltd
1270 Aberdeen St
Hawkesbury, ON K6A 1K7

Ph: 613 632-9577

Fax: 613 632-1053

Ph: 613 632-9577

Fax: 613 632-1053

Terms		Ship Via
Quantity	Description	
	DATE : <u>24/03/2017</u>	
	CERTIFIED SIGNATURE : 	
	RECEIVER SIGNATURE : <u>SP1703-27</u>	
	Note: This Packing Slip may contain parts that have been PLATED. Items that are plated may be subject to natural tarnishing and it is suggested that they be inspected within 24 hours of receipt.	
	CERTIFICATE OF CONFORMANCE	
	A.T.G. INDUSTRIES INC. CERTIFIES THAT ALL ITEMS IN THIS SHIPMENT CONFORM TO REQUIREMENTS.	
	MADE IN CANADA.	